

# HBX Packages

---

Spec Sheets

# HBX Industrial (A1C) Package

(036400026)



	<b>Hei-VAP Industrial</b>	<b>Base Cart</b>	<b>Tube Set</b>	<b>Rotavac Vacuum Pump</b>	<b>Hei-Chill5</b>
<b>Product Number</b>	036072402	036303090	036303100	036304775	050000105
<b>Specs</b>	Heating Bath Volume - 24 L H2o 22 L Oil  Heating Bath Temp Range - 20°C - 180 °C	For all Hei-VAP industrial models	ID - 8 mm OD - 13 mm  18 Hose Clamps	Ultimate Vacuum - 2 mbar ( 1.5 Torr)  Suction Capacity - 3 m <sup>3</sup> /h ( 50 Lpm)	Max. Chiller Water Pressure - 46.41 psi  Cooling Capacity at -10°C - 1700 W  Includes (050000110) 2x 20L water glycol fluid 2x 1/2 bar adapters w/ 3/4 screw cap, 3x cooling water tubes 4x tube clamps
<b>Dimensions (in) (LxWxH)</b>	With Base & Safety Cabinet 38 x 27 x 85	48 x 35 x 35	16 meters	13.7 x 10.8 x 19.5	22.5 x 25.5 x 38
<b>Electrical Requirements</b>	220V / 60 Hz 20 A Single Phase	-	-	120V / 60 Hz 15 A Single Phase	220V / 60 Hz 15 A 3 - Phase  Includes 2 buck boost transformers
<b>Plug Image</b>		-	-		


**Note:** Hei-VAP Industrial and Chiller need to be on independent circuits

## In Review

By signing below you acknowledge that your facility is prepared for the spatial and electrical demands of the contents in this package. If your facility is not prepared in advance, additional fees may apply.

Signature \_\_\_\_\_ Date \_\_\_\_\_

Premium Equipment | Installation & Training | 3 year Warranty



**Heidolph North America**  
(224) 265 - 9600 | [Sales@Heidolph.com](mailto:Sales@Heidolph.com) | [HeidolphNA.com](http://HeidolphNA.com)

